



European Commission



EUROPEAN UNION REFERENCE LABORATORY FOR PLANT PESTS ON NEMATODES: SCOPE, IMPLEMENTATION AND OBJECTIVES

Laurent Folcher and Maíra Grossi de Sá


10 September 2019

Presentation outline

EURL context and presentation
EURL activities


Work programme 2019 – 2020 and objectives

Plant parasitic nematodes economic impact



anses

Economic impact of plant parasitic nematodes (PPN) on world agriculture



(Bernard G C. et al, 2017, Nematology - Concepts, Diagnosis and Control; Abd-Elgawad M M & Askary TH. 2015 Impact of Phytonematodes on Agriculture Economy)

Tomate -Meloidogyne spp.



Carrot - Meloidogyne chitwoodi



(ANSES, LSV Rennes and ILVO pictures)

Pines tree - Bursaphelenchus xylophilus Foliar nematode



(Goudet, M, 2010)

Potato – Globodera spp.




anses


(ILVO picture)




EURL context



EURL presentation



EURL presentation




10/09/2019

EPPO Workshop for Heads of Plant Pest Diagnostic Laboratories


6

EURL presentation




10/09/2019

EURL activities




- To assist the National Reference Laboratories (NRLs) and the European Commission in implementing relevant European Regulations and diagnostics methods for plant parasitic nematodes
- Work programme designed based on plant parasitic nematodes considered as important threats by the European Commission





Activity 1 – TO ENSURE AVAILABILITY AND USE OF HIGH QUALITY METHODS AS WELL AS HIGH **QUALITY PERFORMANCE BY NRLS**



Sub-activity 1.1 - Providing NRLs with details and guidance on the methods, including reference methods

- Reference detection and identification methods for major guarantine plant parasitic nematodes
- Review and compilation of ANSES and ILVO protocols (based on EPPO and IPPC standards)
 - To inform and provide the NRLs:
 - **Different available analytical methods**
 - **Reproduce these analytical methods**
- Conducting a survey on NRL structures, facilities and their analytical capacities






10/09/2019

9

Activity 1 – TO ENSURE AVAILABILITY AND USE OF HIGH QUALITY METHODS AS WELL AS HIGH QUALITY PERFORMANCE BY NRLS



Sub-activity 1.2 /1.4 - Providing reference materials to NRLs and develop methods of analysis, testing and diagnosis of high standards

- An explicit need regarding the identification of *Xiphinema americanum sensu stricto, Hirschmanniella* spp. and *Meloidogyne graminicola* is expressed by the European Commission
- Improving analytical methods (detection and identification) for *M. graminicola*



10/09/2019

Regarding M. graminicola...

- The main PPN damaging rice fields
- Large host range more than 98 host plants (oat, wheat, onion, mustard, lettuce, potato..)
- Emerging PPN
 - 2016 Detected in the EU for the first time in 7 rice fields in Northern Italy and also in 2018 in Lombardia
- **Rice in Europe** important sociocultural significance Two thirds of rice consumed by Europeans is grown in the EU
 - The EU is 70% rice self-sufficient
 - Italy is the leading European rice producer
- Available morphological and molecular diagnostic tests require validation and NRLs training





(http://ricepedia.org/rice-around-the-world/europe)

(Bellafiore et al, 2015; C R biologies)

Detection and molecular characterization of the rice root-knot nematode *Meloidogyne graminicola* in Italy

Intraspecific variability of the facultative meiotic parthenogenetic root-knot nematode (*Meloidogyne graminicola*) from rice fields in Vietnam

(Fanelli et al, 2017; Eur J Plant Pathol)

The development and molecular characterization of a rapid detection method for Rice root-knot nematode (*Meloidogyne graminicola*)

(ChoCho et al, 2016; Eur J Plant Pathol)



10/09/2019

Regarding Xiphinema spp. and Hirschmanniella spp.

Xiphinema spp.

- X. americanum group comprises 61 species (EPPO, 2017)
- Vectors of economically important regulated viruses
- No reliable identification protocols for X. americanum group

Initial EURL proposal : Developing analytical methods to identify the species belonging to *X. americanum* group

Hirschmanniella spp.

- Hirschmanniella genus contains 29 species described (Khun et al, 2015)
 - Suitable to enter and establish into the EU territory particularly on aquatic plants and in rice production areas
 - Detection possible but difficult species identification
- High variability of certain morphological and morphometric characters


anse

- Few specimens/are available
- Molecular methods lacking routine diagnostics

All points reinforce the need for close surveillance, risk anticipation and assessment, including the improvement and development of identification methods

SES pictures

Activity 2 – TO PROVIDE SCIENTIFIC AND TECHNICAL ASSISTANCE TO NRLs



Sub-activity 1.3/ 2.2 - Organising and leading regular proficiency tests (PTs) and training courses for national reference laboratories (NRLs) staff

To ensure and assess reliability and accuracy of the analyses carried out by the NRLs

Sub-activity 2.3 Providing information on relevant international research activities to NRLs and the EU Commission


- Workshop 2020 6 May Associated to the 7th International Congress of Nematology (ICN)
- Presentation of EURL missions, NRL network and their needs
- News updates on quarantine nematodes
- Ongoing research activities

- Presentation of PTs and training courses programs
 - General information phytosanitary events in nematology
 - Update information on the EURL website





Activity 3 – TO PROVIDE SCIENTIFIC AND TECHNICAL ASSISTANCE TO THE EUROPEAN COMMISSION AND OTHER ORGANISATIONS



Sub-activity 3:

(I) Providing scientific and technical assistance to the EU Commission and other organisations

> EURL expertise and knowledge


(II) Collaborating with laboratories in third countries, the European Food Safety Authority (EFSA) and other EU Agencies

To improve scientific knowledge and diagnostic capacity

(III) Assisting actively in the diagnosis of plant nematode outbreaks in Member States

 \diamondsuit To confirm and carry out diagnostic analyses when required

Activity 4 – REAGENTS AND REFERENCE COLLECTIONS



Sub-activity 4.1

[©] Coordinating or performing quality tests of reagents used for plant nematode diagnosis

Making sure that reagents used for nematode diagnostics by NRLs are of sufficient quality (ILVO task)

Updating lists of available reference substances and reagents as well as manufacturers and suppliers – Website publication

¹ Sub-activity 4.2 *Establishing and maintaining reference collections of plant parasitic nematodes*

To provide samples to NRLs



10/09/2019

Acknowledgments

EURL Consortium



The ANSES team



The IIVO team

EURL DIRECTOR FOLCHER Laurent laurent.folcher@anses.fr

EURL DEPUTY DIRECTOR GAMEL Sylvie sylvie.gamel@anses.fr

EURL PROJECT MANAGER GROSSI DE SA Maíra maira.grossidesa@anses.fr EURL webmail eurl.nematodes@anses.fr



EURL DEPUTY DIRECTOR VIAENE Nicole nicole.viaene@ilvo.vlaanderen.be

EURL PROJECT MANAGER (ILVO) DAMME Nicole nicole.damme@ilvo.vlaanderen.be

Website: https://eurl-nematodes.anses.fr

anses 🗘



10/09/2019