European and Mediterranean Plant Protection Organization Organisation Européenne et Méditerranéenne pour la Protection des Plantes

> PP 1/257 FEET 59 (1) First published in 2016

# EXTRAPOLATION TABLE for EFFECTIVENESS of FUNGICIDES DISEASES ON MISCELLANEOUS FRUIT (INEDIBLE PEEL, LARGE)

#### INTRODUCTION

The table provides detailed lists of acceptable extrapolations organized by crop groups, for regulatory authorities and applicants, in the context of the registration of plant protection products for minor uses. The table should be used in conjunction with the EPPO Standard PP1/257(1) - *Efficacy and crop safety extrapolations for minor uses*. It is important to ensure that expert judgment and regulatory experience are employed when using these tables. EPPO excludes liability as to the reliability of the information provided through these tables.

The scope for extrapolation may be extended as data and experience with a certain plant protection product increases. The applicant should always provide appropriate justification and information to support the proposed extrapolation. For example, comparability of target biology may be a relevant factor, either in extrapolating to other target species or for the same target onto another crop. For crops, factors such as comparable growth habit, structure etc. should be considered.

#### **TABLE FORMAT**

The main pest species for the crop group are listed in Column 1 (although this is not exhaustive), and the pest group to which they belong is specified in Column 2. Companies may choose if they wish to provide data only for individual named species, which would then appear individually listed on the label. But <u>underlined</u> species have been identified as key major targets and as such it is advisable to generate data on these. Furthermore, data on these species then allow a claim to be made for the whole pest group (as specified in Column 2), if required. If a claim for the whole pest group is required but there is no underlined species, then data must be generated on all listed species.

Column 3 indicates the key indicator crop(s) for the crop group. In some instances this may be only one specified crop. In other cases, when separated by an 'or', the company may choose from a range of alternatives within the group. Data generated on crops in Column 3 may be used to extrapolate to all crops listed in Column 4. However, it is preferable to have data on several of the crops within the crop group, but data on the indicator crop should be available. In specific circumstances data from crops outside of the crop group highlighted by an asterisk in column 5 can replace the need for any data on the indicator crop in column 3.

Column 5 identifies whether relevant data on crops outside the crop group, against the same target, may help to reduce the amount of required data on the indicator crop. It may be possible for a direct extrapolation without the need for data on the indicator crop (marked with an asterisk (\*)). However, this is dependent on the extent of available data and similarity of crop/target biology. The company should provide an appropriate reasoned case when wanting to use data from crops outside the crop group.

Column 6 gives examples of acceptable extrapolations for a particular pest claim onto other minor use crops. This is <u>not</u> a comprehensive list. Whether extrapolation may be direct (no data, marked with an asterisk (\*)), or require additional supporting data on the minor use crop, will again be dependent on the extent and relevance of the existing database and companies should provide an appropriate reasoned case. If the crop is considered to be a major crop in some countries then it may not be appropriate to include in this column, and further data would be required. Companies will need to justify the status of the major crop/minor use.

## EXAMPLE OF HOW TO USE THE TABLE:

Diseases		Crops: within the Vegetable Brassicas		Crops: outside the Vegetable Brassicas	
1 Pathogen species	2 Disease group name	3 Indicator crops	4 Extrapolation to other crops	5 Data from these crops can support the indicator crops (reduced data or no data *)	6 Extrapolation to crops (reduced or no data*)
Alternaria sp. ( <i>Alternaria</i> brassicicola ALTEBI, <i>A.</i> brassicae ALTEBA, <i>A.</i> raphani ALTERP)	Alternaria	Cauliflower BRSOB or broccoli BRSOK or Brussels sprouts BRSOF	Leafy and flower head and root brassicas	Oilseed rape BRSNN, Mustard SINSS	Carrot DAUCS, Tomato LYPES

**E.g.:** In the first row above, in order to support a claim for *Alternaria sp* on leafy and flower head and root brassicas, data can be generated on Cauliflower or Broccoli or Brussels sprouts. The number of trials required on this crop can be reduced if there are existing relevant data for *Alternaria spp* on oilseed rape or mustard. Data on *Alternaria sp* generated on Vegetable Brassicas can also be used to support claims on minor use crops such as carrot and tomato, but further additional data may be required. The company may also need to consider and justify the minor use status of the specified crop.

### **EXTRAPOLATION REGARDING PROTECTED/OUTDOOR SITUATIONS**

Please note that where crops may be grown in both protected and field situations, and where significant differences are expected in pest relevance or crop agronomy between indoor and outdoor situations, it is important to generate a proportion of the data on crops grown in both situations to ensure the product has been tested under a suitable range of typical and challenging conditions.

## EXTRAPOLATION TABLE for EFFECTIVENESS of FUNGICIDES ► DISEASES ON MISCELLANEOUS FRUIT (INEDIBLE PEEL, LARGE)

Avocado Persea americana PEBAM, Banana Musa acuminata MUBAC Musa balbisiana MUBBA, Mango Mangifera indica MNGIN, Papaya Carica papaya CIAPA, Pomegrenate Punica granatum PUNGR, Cherimoyas Annona cherimola ANUCH, Guavas Psidium guajava PSIGU, Pineapple Ananas comosus ANHCO, Breadfruit Artocarpus altilis ABFAL, Durian Durio zibethinus DURZI, Soursops Annona muricata ANUMU Annona sp. ANUSS

Diseases		Crops: within Miscellaneous Fruit (Inedible Peel Large)		Crops: outside Miscellaneous Fruit (Inedible Peel Large)	
1 Pathogen species	2 Pest group name	3 Indicator crops	4 Extrapolation to other crops	5 Data from these crops can support the indicator crops (reduced data or no data *)	6 Extrapolation to crops (reduced or no data*)
Oïdium sp. OIDISP	Powdery mildew	Avocado PEBAM or Papaya CIAPA or Mango MNGIN	Avocado PEBAM Papaya CIAPA	Peach PRNPS	All relevant crops affected by these pests
Colletotrichum sp. COLLSP, Ascochyta sp. ASCOSP	Anthracnose	Avocado PEBAM or Mango MNGIN or Guava PSISS or Papaya CIAPA or <i>Annona sp.</i> ANUSS or Banana MUBSS	Annona sp. ANUSS, Avocado PEBAM, Mango MNGIN, Guava PSISS, Papaya CIAPA, Banana MUBSS	Litchi LIHCH, Passion fruit PAQSS	
Rosellinia necatrix ROSLNE	White root rot	Avocado PEBAM or Mango MNGIN		Apple MABSS	

Mycosphaerella musicola(=Cercospora musae) MYCOMU, Mycosphaerella fijensis MYCOFI	Cercosporiose	Banana MUBSS			All relevant crops affected by these pests
<i>Colletotrichum</i> sp., COLLSP, <i>Fusarium</i> sp. FUSASP, <i>Aspergillus</i> sp. ASPESP	Postharvest diseases	Banana MUBSS or Avocado PEBAM or Mango MNGIN	Papaya CIAPA Mango MNGIN, Avocado PEBAM	Apple MABSS, Passion fruit PAQSS	
Botryosphaeria rhodina (=Botryodiplodia theobromae) PHYORH		Papaya CIAPA or Banana MUBSS or Avocado PEBAM or Mango MNGIN		Passion fruit PAQSS	
<i>Botryosphaeria sp.</i> BOTSSP	Cankers	Pomegranate PUNGR		Sweet almond PRNDU, Common hazelnut CYLAV	
The following extrapolat	ion possibilities are pro	posed to be address	ed in tables covering ge	eneric pests <sup>1</sup>	1
Phytophthora sp. PHYTSP	Phytophthora disease	Annona sp. ANUSS Avocado PEBAM, Papaya CIAPA, Pineapple ANHCO, Guava PSISS	<i>Annona sp.</i> ANUSS Papaya CIAPA, Pineapple ANHCO Guava PSISS	Citrus CIDSS, Apple MABSS, Passion fruit PAQSS Apricot, Plum	Passion fruit PAQSS
		Pomegranate PUNGR		Pome fruit	
<i>Phomopsis</i> sp. PHOPSP <i>Phoma</i> sp. PHOMSP	Moulds	Annona sp. ANUSS or Guava PSISS	Annona sp. ANUSS		
		Pomegranate PUNGR		Grapevine VITVI	
Aspergillus niger Alternaria alternata Penicillium sp. PENISP	Fruit rot	Pomegranate PUNGR		Pome fruit Grapevine VITVI	

<sup>&</sup>lt;sup>1</sup> The following lines will be deleted from the table once the Generic tables will be approved and published.

Xanthomonas sp. XANTSP	Bacterium disease	Mango MNGIN		Peach PRNPS	
Pseudomonas syringae PSDMSX	Bacterial apical necrosis	Mango MNGIN		Peach PRNPS, Pear PYUCO	Peach PRNPS, Pear PYUCO
Erwinia chrysanthemi ERWICH	Bacterium disease	Pineapple ANHCO Papaya CIAPA	Papaya CIAPA Pineapple ANHCO	Peach PRNPS, Apple MABSD,	