


EPPO CODES Latest developments

Anne-Sophie Roy (Information Officer) - roy@eppo.int




EPPO Codes Users Meeting - EPPO Headquarters (Paris, 2016-03-07)

GD: a new interface to consult the EPPO Codes



Codes for non-taxonomic entities

Creation of a new data-type field to separate taxonomic from non-taxonomic codes



Data-types currently used:

PFL: plantsSPT: plant taxonomic groupGAI: animalsSIT: animal taxonomic groupGAF: microorganismsSFT: microorganism taxonomic groupUSE: usesNTX: non-taxonomic group

Example of taxonomic/non-taxonomic codes

Solanum lycopersicum Solanum lycopersicum (direct-seeded) Solanum lycopersicum (transplanted)

LYPES LYPXS LYPXP



LYPES (active code) Preferred name: Solanum lycopersicum Synonym: Lycopersicum esculentum Taxonomic code [PFL]

Data-types currently used (values):


PFL: plantsSPT: plant taxonomic groupGAI: animalsSIT: animal taxonomic groupGAF: microorganismsSFT: microorganism taxo, groupUSE: usesNTX: non-taxonomic group

LYPXS (active code) Preferred name: tomato (direct-seeded) Synonym: Solanum lycopersicum (directseeded)

LYPXP (active code) Preferred name: tomato (transplanted) Synonym: Solanum lycopersicum (transplanted)

Non-taxonomic codes [NTX]

A different lay-out for non-taxonomic codes



A different lay-out for non-taxonomic codes

| MENU | Overview for a non-taxonomic code | |
|--------------|---|--|
| Ø Overview → | Basic information | Classification |
| | EPPO code: FFFKU Preferred name: cucurbit plants Associated scientific names Cucurbitaceae | I Crop group (3CRGK) I cucurbit plants (FFFKU) |
| | | Link to an associated scientific name (when appropriate) |

Modified advanced search tool

| Q | |
|---|---|
| ADVANCED SEARCH CRITERIA | |
| Search for | |
| Names or EPPO codes | ۲ |
| Search mode | |
| Starting with | • |
| Type of organism | |
| All | • |
| All Species level Plant Animal Microorganism Taxonomic group level Plant taxonomic group Animal taxonomic group Microorganism taxonomic group | |
| Other Non-taxonomic group Commodity | |

Search can be restricted to non-taxonomic codes only

A few more points on non-taxonomic codes

- Hierarchies can be created whenever needed inside nontaxonomic codes
- Some governance had to be established for nontaxonomic codes as the EPPO Secretariat cannot rely on any 'external authority' when creating new codes: role of the *ad hoc* Panel on Harmonization of data on plant protection products and EPPO codes
- Names associated with non-taxonomic codes should be standardized as much as possible (some rules might have to be proposed) to facilitate data retrieval

Advanced search results for a deactivated code

| Q nipava | | EPPOCode | Name | Type | Language | Preferred |
|--------------------|----------|----------|--|--------|------------|-----------|
| ADVANCED SEARCH CR | ITERIA | | | | | |
| Search for | | NIPAVA | Nipaecoccus viridis Deactivated code | animal | Scientific | Ø |
| Names or EPPO c | odes 🔻 | NIPAVA | bolle wolluis | animal | Dutch | |
| Search mode | | | Deactivated code | | | |
| Starting with | • | NIPAVA | cotton mealybug | animal | English | |
| Type of organism | | | | | | |
| All | | NIPAVA | globular coffee mealybug Deactivated code | animal | English | |
| Language | | NIPAVA | Karoo thorn mealybug | animal | English | |
| All | • | NEAVA | Deactivated code | annnat | Linguisti | |
| Show deactivat | ed codes | NIPAVA | lebbeck mealybug | animal | English | |
| | ок | | Deactivated code | | | |
| | | NIPAVA | Nipaecoccus vastator Deactivated code | animal | Scientific | |
| | | NIPAVA | Pseudococcus perniciosus Deactivated code | animal | Scientific | |
| ated codes | can be | NIPAVA | Pseudococcus vastator Deactivated code | animal | Scientific | |
| if needed | | NIPAVA | spherical mealybug | animal | English | |

D sl

Link to the replacement code

| ipaecoccus vii | | | | | | | |
|----------------|---|---|----------------------|--|--|--|--|
| | Overview | | | Last modification: 2015-04-17 | | | |
| MENU | This code has i | hoon | loactivated and root | acod by NIDAVI | | | |
| Overview → | This code has t | This code has been deactivated and replaced by NIPAVI | | | | | |
| | Basic information | | | | | | |
| | • EPPO code: NIPAVA | | | | | | |
| | Preferred name: Nipa | ecoccus | viridis | | | | |
| | Authority: Newstead | | | Link to the replacement code | | | |
| | Notes | | | | | | |
| | Duplicate | | | | | | |
| | Other scientific names | | | | | | |
| | Name | Auth | ority | | | | |
| | Nipaecoccus vastator | | skell) | | | | |
| | Pseudococcus pernicios | us New | stead & Willcox | | | | |
| | Pseudococcus vastator | (Mas | skell) | | | | |
| | | | | | | | |
| | Common names | | | | | | |
| | Name | ^ | Language 🔺 | and the second | | | |
| | Search | | - select . V | | | | |
| | bolle wolluis | | Dutch | | | | |
| | cotton mealybug | | English | | | | |
| | | | English | | | | |
| | globular coffee mealybu | ug | English | | | | |
| | globular coffee mealybu Karoo thorn mealybug | ug | English | | | | |


Downloading EPPO Codes



- EPPO codes are 'open data'
- Free downloads via a dedicated platform EPPO Data Services: https://data.eppo.int/

| How to cite EPPO Global Database? | (| | | |
|------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|----|
| EPPO (2016) EPPO Global Database (| (avaitable online), https://gd.eppo. | m | | |
| () | | | | |
| Alternaria mali (Altema) | Cryptostroma corticale (CRPSCO) | Hyloicus pinastri (SPHXPI) | Citrus ringspot virus (CIRSVO) | |
| view more | view more | view more | view more | |
| Contact EPPO S EPPO Webs | site 💿 EPPO Data Services | | Sitemap | |
| | | | EPPO Data Servic | es |

A dedicated platform for free downloads



What can I do with EPPO Data Services ? With a minimum of coding you can:

- · Perform several tasks at a time
- Automate current tasks
- · Create scripts for mass actions/updates

And much more. The only limit is your creativity :)

All services which are currently available are summarized below:

Create your free account

| EPPO Data Services Home G | o to EPPO Global Datal | pase | | 🔒 Login |
|---------------------------|------------------------|---|---|--|
| | | | | |
| Create your account | t | | | |
| | Institute | | | |
| | Institution name | Enter your institution/company name | | |
| | Country | Please select • | | |
| | Contact point | | | |
| | Email address | Enter email | | |
| | Your name | Enter your name |) | |
| | | Enter your full name | | European and Mediterranean Plant Prot Organisation Europeenne et Méditerraneenne po |
| | Account | | _ | EPPO Codes OPEN DATA LICE |
| | Username | Enter username | | You may re-use the EPPO Codes made available by EPPO specified by this loance. Re-use of EPPO Codes under this licence |
| | | Username can contain any letters or numbers, without spaces | | EPPO grants the < Re-user » a worldwide, perpetual, free of use the EPPO Codes subject to this licence under the freedor You are free to re-use the EPPO Codes: |
| | Password | | | To reproduce, copy, publish and transmit the EPPO C To build upon them in order to create + Denvelove info To exploit the EPPO Codes freely or commercially, for |
| | | Password should be at least 4 characters | | To explot the EPPU code trees or commencially, to information, or by including them in your own product You must, where you do any of the above: Atsitude the EPPO codes by acknowledging their sou date on which they were liad deminizable. |
| | Password | | | The + Re-user + may fullit this condition by provid referring to the EPPO Codes and effectively acknow should not be used for this purpose, and in any case authorization from the EPPO Secretariat. |
| | (confirm) | Please confirm password | | This attribution shall not suggest any official status user + or the re-use of the EPPO Codes. |
| | Open Data Lic | ence | | Liability EPPO Codes are made available as produced or received by guarantee not specified in this licence. EPPO constraines that it makes the constraint available EP |
| | | t the terms and conditions of the Open Data Licence | | EPPO guarantees that it makes the currently available by backtown and the isocolitours defined by this location. It cannot contain any error or implationly. It does not guarantee the o real and be lable for any loss, injury or demage of any kind re-use. The « Re-user » is solely responsible for its re-use of the EPP tool galaxies or manufaceant the contert of the EVPC Codex. It |
| | | | | ¹ Cardiana (1990 Cades (www.epus.int) |
| | | | | |

Different services are provided

Downloads with different file formats


Online tools for quick and simple searches (for all users)

REST API (for IT specialists)

More details will be provided in a separate presentation during this meeting

Creation of new EPPO Codes

- Additional service subject to fees (50 euros per code)
- All necessary online forms have just been created in EPPO Global Database
- Guidance will soon be added to the website




How to request new EPPO Codes

1. Register on EPPO Global Database

| EPPO Global Database | Q Search by name or EPPO code. advance | Go! #Register | |
|--|---|--|--------------------------------------|
| Home Standards + Photos + I What is EPPO Global Database? | Reporting Service Explore by + | Latest news | |
| EPPO Global Database is maintained by Mediterranean Plant Protection Organiz | y the Secretariat of the European and zation (EPPO). This database is still under | EPPO Reporting Service no. 1 is available. | |
| development but its ultimate goal is to has been produced or collected by EPP | o include all pest-specific information that 0. | New world distributions are available for: | 1 st step: register (free |

How to request new EPPO Codes

2. Necessary tools are in your dashboard



Online secured payment site

| | EPPO Global Database | Q Search by name or EPPO code Go! advanced search | Logout | You can buy credits for one or more codes (batches: 5-10-20 etc) |
|-----------------|--|--|----------------------------------|--|
| | andards + Photos + Reporting St edits / View invoices | ervice Explore by + | | for an unlimited period of time |
| | | | | |
| Buy credi | | | urrently, you have 9 credits | Generate a proforma |
| | Quantity - please select - | | or ask for new EPPO Codes. | invoice |
| | TOTAL | 0 EUR | | |
| | | Continue. | | Pay online (or by bank transfer). Euros only. |
| Orders aw | vaiting payment | / | | transier). Luius only. |
| Ref | Date of order Detail | Total eur | | |
| ECS-0019 | 2016-01-05 • 1 New codes | 50 Dowload proforma invoice | € Pay onLine_ | Order can be cancelled |
| ECS-0018 | 2016-01-05 0 1 New codes | 50 🖹 Dowload proforma invoice | € Pay onLine | |
| ECS-0017 | 2015-12-11 • 10 New codes | 500 🖻 Dowload proforma invoice | € Pay online 🗎 Cancel this order | Once payment has been received, invoice/receipt |
| Invoices | | | | of payment can be |
| Ref ECS-0016 | Date of payment 2015-11-25 12:43:11.872026 | Detail Total e | ur Download invoice | downloaded here |
| G Back to da | shboard | | | |

Online form to request a new EPPO code

| e Standard | s • Photos • | Reporting Service | e Explore by - | | | |
|---|--|---|--|----------------|-----------------|--|
| equest a | new EPPO | Code | | | | |
| can propose ne | w organisms for | inclusion in the | EPPO Code System a | and obtain nev | w EPPO codes fo | r them. |
| ise fill <mark>i</mark> n the fol | lowing form. | | | | | |
| | and the second | and the second second second second | | | | rresponding new code will be sent to children to child |
| | | | t was associated wit | | - | |
| | | | | | | (*) required |
| 1.1.1 | Enter the Latin | name | | | | ently you have 9 credits left to ask for EPPO codes. |
| Latin name * | | | | | | |
| Latin name * Synonyms | Enter synonym | s with authority if | possible (one by line) | | new | EPPP codes. |
| | Enter synonym | s with authority if | possible (one by line) | | new | EPPP codes. |
| | Enter synonym | s with authority if | possible (one by line) | ĥ | new | EPPP codes. |
| | | | possible (one by line) family and appropriate | | new | Erry codes. |
| Synonyms Taxonomic position * | Enter the taxor higher taxon) | nomic position (e.g | . family and appropriate | 2 | new | Erry codes. |
| Synonyms Taxonomic | Enter the taxor higher taxon) | | . family and appropriate | 2 | new | Erry codes. |
| Synonyms Taxonomic position * References * | Enter the taxor higher taxon) Enter accessibl | nomic position (e.g e references / web | . family and appropriate | | new | Erry codes. |
| Synonyms Taxonomic position * | Enter the taxor higher taxon) Enter accessibl Any additional | nomic position (e.g e references / web | . family and appropriate sites | | new | Erry codes. |

Fill in the different fields (some are compulsory*)

Your request is then automatically sent to the EPPO secretariat

View your past requests

| | Global Database | Scarch by han | advanced search | O Logout | |
|---------------|--|------------------|--|----------------------|--|
| Home S | tandards - Photos - Reporting Service | Explore by - | | | |
| View p | ast requests | | | | |
| automatically | y informed by email. | e for the creati | on of new EPPO codes. Once a new code is | created, you will be | |
| Codes do | NC Latin name | Code | Admin infos | | |
| Date | Juania australis (von Martius) Drude ex. | | A new EPPO code has been created | | |
| 2016-02-05 | Hooker | | | | |

Thank you for your attention

