# PM 7/122 (2) Guidelines for the organization of interlaboratory comparisons by plant pest diagnostic laboratories

EPPO Workshop for Heads of Laboratories 19/20th April 2023

#### **EPPO diagnostic team**

**Charlotte Trontin** 

Françoise Petter
Valérie Grimault
Madeleine McMullen
Baldissera Giovanni



#### Specific scope of PM 7/122


#### This EPPO Standard specifies:

- The requirements for a plant pest diagnostic laboratory to be able to organize interlaboratory comparisons.
- The requirements for the development and operation of interlaboratory comparisons for plant pest diagnostics.


This EPPO Standard was developed taking into account elements included in ISO 17043 *Conformity assessment – General requirements for proficiency testing* (ISO, <u>2010</u>)

### What are interlaboratory comparisons?


An interlaboratory comparison




#### What are interlaboratory comparisons?



# Objectives of interlaboratory comparisons



# Content of PM 7/122 - Technical requirements for the organisation of an ILC




#### Revision of PM 7/122

# **Outcome of**



12 TPS organized






This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement N° 773139" as requested by the GA, art. 29.4.










**DELIVERABLE N° 2.1** 

Composition of the panel of samples

Title:

Guidelines for the revision of the EPPO Standards PM 7/98 and PM 7/122 for validation studies (including Test Performance Studies)



#### Revision of PM 7/122

- Addition of information on the composition of the panel of samples
- Addition of information on the statistical analysis of the results of interlaboratory comparison
- Further revisions based on the experience gained in the organisation of PT/TPS (e.g. VALITEST / EURLs)
- Modification of the structure of the Standards for some parts (e.g. planning)

# Thank you for your attention!





The content of this presentation represents the views of the author only and is his/her sole responsibility; it cannot be considered to reflect the views of the European Commission and/or the Research Executive Agency or any other body of the European Union. The European Commission and the Agency do not accept any responsibility for use that may be made of the information it contains.